

**CONFIDENTIAL**

ODP-83-763

31 MAY 1983

MEMORANDUM FOR: Director of Communications

FROM: [REDACTED]

Director of Data Processing

SUBJECT: Reassignment of Digital Equipment Corporation  
Model PDP 11/34 Computer System [REDACTED]

REFERENCE: A. Multiple Addressee Memorandum from  
[REDACTED] P&PG/MS/ODP, dtd 12 Apr 1983,  
Subject: Announcement of the Availability  
of Excess Agency-Owned ADP Equipment  
(ODP-83-533) [REDACTED]

B. Speed Letter for P&PG/MS/ODP, from  
[REDACTED] OC/ED/SIS, dtd 21 Apr 1983,  
Subject: Requirements Statement for the  
Announced Excess System [REDACTED]

1. ODP is pleased to provide your office with formal notification of the transfer of an excess Digital Equipment Corporation Model PDP 11/34 computer system. It is being reassigned in response to the requirements outlined by [REDACTED] of ED/SIS, in Reference B (attachment). This system had an original acquisition cost of \$149,000. It was used by OSWR as part of its Technical Analysis Display System (TADS). [REDACTED]

2. Reference A noted there are potentially eight additional PDP 11/34 systems that may become available in the future. These systems, which are also part of TADS, are scheduled for replacement by new graphics workstations. [REDACTED] has also expressed interest in acquiring these units. However, since the equipment release dates are not firm and other Agency requirements may develop in the interim, ODP must reserve the right to announce the availability of the systems as they are released and to evaluate the resulting reassignment requests. ODP will retain your office's requirements statement for consideration as each additional system becomes available. [REDACTED]

[REDACTED]

**CONFIDENTIAL**

CONFIDENTIAL

25X1 SUBJECT: Reassignment of Digital Equipment Corporation Model  
PDP 11/34 Computer System [redacted]

25X1 3. The ODP Logistic Officer, [redacted] may be  
25X1 contacted on [redacted] to arrange shipping and accountability  
25X1 transfer of the system. Details on current maintenance  
25X1 arrangements may be obtained from [redacted] of ODP  
25X1 on [redacted]

25X1 4. The ODP action officer for excess ADP equipment is  
25X1 [redacted] of the Management Staff. He may be reached  
25X1 on [redacted]. Please have your staff contact  
25X1 [redacted] if there are any further questions. [redacted]

Attachment: Reference B

25X1 cc: [redacted] OC/ED/SIS

CONFIDENTIAL

CONFIDENTIAL

25X1

ODP/MS [REDACTED] 27 May 83/Reassignment of Digital  
Equip (Wang)

**DISTRIBUTION:**

25X1

- Orig - Addressee, w/att.
- 1 - LOGS/ODP/[REDACTED] /att.
  - 1 - MMB/ED/OI [REDACTED] w/att.
  - 1 - OC/ED/SIS [REDACTED] w/att. (C)
  - 2 - O/D/ODP (1 w/att.)
  - 2 - ODP Registry, wo/att.
  - 1 - ODP/MS Subj. File, w/att. (Excess ADP Equip., FY83)
  - 1 - ODP/MS Chrono, wo/att.

CONFIDENTIAL

UNITED STATES GOV. JMENT

CONFIDENTIAL

## 2-Way Memo

## INSTRUCTIONS

Use routing symbols whenever possible.

## SENDER (Originator of message):

Use brief, informal language.

Conserve space.

Forward original and one copy.

## RECEIVER (Replier to message):

Reply below the message, keep one copy, return one copy.

Subject:

25X1

To : ODP Management Staff  
2D0105 Hqs.

25X1

ATTN: 

DATE OF MESSAGE

21 April 1983

ROUTING SYMBOL

SIS-L83-

027

REF: ODP-83-533, dated 12 April 1983

TITLE OF ORIGINATOR

OC-ED/SIS/SDM

FOLD

FOLD

MESSAGE

1. OC-ED is interested in acquiring the Processor, DEC Md1. PDP 11/34, etc. that is being declared excess to ODP's needs. The system can be identified by the following:

TURN-IN NO. 6057-83057-644

ITEM NO. 1, Processor, DEC Md1. PDP 11/34, S/N AG02172, w/options:

DL11-W Realtime Clock, 128K Memory, KY11-LB Programmer

25X1

Console, and 2 ea. 14960-CA Cabinets. 

2. OC is currently utilizing a DEC 11/24 for developing software, etc., for the Communications Equipment Monitoring System (CEMS). The system is now ready for installation and testing  It will be used to monitor data, test equipment, alarms, and communications lines, etc.

(CONT.)

25X1

REPLY

25X1

25X1

From

OC-ED/SIS

25X1

25X1

DATE OF REPLY

ROUTING SYMBOL

SIGNATURE OF REPLIER

TITLE OF REPLIER

1.

RETAINED BY ADDRESSEE

5027-107

OPTIONAL FORM 27 (Rev. 7-81)  
GSA FPMR (41 CFR) 101-11.6  
NSN 7540-00-082-2447

CONFIDENTIAL

25X1 Currently there are plans to purchase another DEC 11/24 to  
25X1 provide additional development capabilities and to support the  
operational CEMS [redacted] Moreover, plans are to  
install CEMS in [redacted] locations in OC's worldwide network.

25X1 Since the DEC 11/34 can be easily substituted for the DEC  
11/24, the excess 11/34 could result in a cost saving. Also, I  
understand that more DEC 11/34's may be made available at a later  
date. If so, these processors could also be used, at a considerable  
savings, to implement CEMS throughout the OC network. [redacted]

25X1 3. Request that the necessary action be taken to transfer the  
25X1 referenced equipment to OC-ED/NSB. For additional details - shipping,  
25X1 etc. - please contact [redacted] OC-ED/NSB, extension [redacted]  
[redacted]